



Special Report

Risky business: the climate and the macroeconomy

- Climate change is a slow-moving process, but it is no less dangerous for that. It is likely to be one of the key defining features of the coming decades. The longer action is delayed the more costly it will be to deal with the issues. Moreover, a delayed policy response opens us up to potentially catastrophic outcomes, which might be impossible to reverse.
- This report examines climate change in three sections: the mechanics of climate change; the impact of climate change; and the response to climate change.
- The mechanics of climate change considers the journey from human activity to CO₂ emissions, from CO₂ emissions to atmospheric CO₂ concentrations, from atmospheric CO₂ concentrations to the global temperature and from the global temperature to the global climate. The climate system is complex, non-linear and dynamic. There is considerable inertia in the system so that emissions in the coming decades will continue to affect the climate for centuries to come in a way that is likely to be irreversible. Uncertainty is endemic, not just about modal effects but also about the shape of the probability distributions, especially how fat the tails are.
- The impact of climate change is broad based covering GDP, the capital stock, health, mortality, water stress, famine, displacement, migration, political stress, conflict, biodiversity and species survival. Uncertainty is endemic here as well, trying to evaluate the impact of a climate that the earth hasn't seen for many millions of years. Empirical estimates based on the variability of the climate in recent decades likely massively underestimate the effects.
- The response to climate change should be motivated not only by central estimates of outcomes but also by the likelihood of extreme events (from the tails of the probability distribution). We cannot rule out catastrophic outcomes where human life as we know it is threatened.
- To contain the change in the climate, global net emissions need to reach zero by the second half of this century. Although much is happening at the micro level, it is hard to envisage enough change taking place at the macro level without a global carbon tax.
- But, this is not going to happen anytime soon. Developed economies, who are responsible for most of the cumulative emissions, worry about competitiveness and jobs. Meanwhile, Emerging and Developing economies, who are responsible for much less of the cumulative emissions, still see carbon intensive activity as a way of raising living standards. It is a global problem but no global solution is in sight.

Contents:

Introduction	2
Section 1: The mechanics of climate change	5
From human activity to CO ₂ emissions	5
From CO ₂ emissions to CO ₂ concentrations	6
From CO ₂ concentrations to temperature	7
From temperature to climate	9
Section 2: The impact of climate change	10
Estimates of climate change on GDP	10
Wealth effects and the discount rate	12
Economic impacts are too small	12
The impact of climate change beyond GDP	13
Climate change and health	13
Climate change and migration pressure	14
Climate change and conflict	15
Ecosystems and species survival	15
Section 3: The response to climate change	16
CO ₂ emissions as a global externality	16
Adaptation and mitigation	17
Geoengineering as an extreme technology	19
Conclusion	20

David Mackie
(44-20) 7134-8325
david.mackie@jpmorgan.com


Jessica Murray
(44-20) 7742 6325
jessica.x.murray@jpmorgan.com

Introduction

In the 800,000 years prior to the industrial revolution, the atmospheric concentration of CO₂ oscillated in a range from 170ppm (parts per million) to 300ppm. This ebb and flow in CO₂ emissions was mainly driven by volcanic activity and ocean fissures. Since the industrial revolution, CO₂ concentrations have climbed dramatically to the current level of around 410ppm (Figure 1).¹ This increase in CO₂ concentrations reflects the burning of fossil fuels for electricity generation and transportation, industrialization, and changes in agriculture and land use (deforestation).

Figure 1: Atmospheric concentration of carbon dioxide

Parts per million (ppm)



Source: See footnote 1, J.P. Morgan Years before 1950, 0 = 1950

There has been a relatively close relationship between CO₂ concentrations and temperature over the last 800,000 years (Figure 2).² These long run estimates of CO₂ concentrations and temperature are based on ice core data from Antarctica so they are not estimates of global conditions. But the impression is very strong. Over the last 800,000 years, through to the middle of the 19th century, as CO₂ concentrations oscillated in a 170ppm to 300ppm range, the Antarctic temperature oscillated in a range from -3.5°C to +6.3°C (relative to the average temperature over the last 1000 years).


More recent data indicate that the increase in the global average surface temperature since pre-industrial times has been

¹ Lüthi et al, High-resolution carbon dioxide concentration record 650,000-800,000 years before present. *Nature*, Vol. 453, pp. 379-382, 15 May 2008.; Petit et al, Climate and atmospheric history of the past 420,000 years from the Vostok ice core, Antarctica, *Nature* 399: 429-436.; C. D. Keeling et al, Exchanges of atmospheric CO₂ and ¹³C with the terrestrial biosphere and oceans from 1978 to 2000. I. Global aspects, SIO Reference Series, No. 01-06, Scripps Institution of Oceanography, San Diego, 88 pages, 2001.

² Lüthi et al, High-resolution carbon dioxide concentration record 650,000-800,000 years before present. *Nature*, Vol. 453, pp. 379-382, 15 May 2008; Friedrich, T. et al., Nonlinear climate sensitivity and its implications for future greenhouse warming, *Science Advances*, Vol. 2, 2016

around 1°C (Figure 3).³ This has been associated with a rise in CO₂ concentrations from 280ppm to around 410ppm. However, given the long lags between emissions and temperature, the global temperature will keep rising in the coming decades even if CO₂ concentrations are stabilized at current levels.


Figure 2: CO₂ concentration and temperature over 800,000 years



Source: See footnote 2, J.P. Morgan Years before 8000 BC, 0 = 8000 BC

Figure 3: Global mean temperature anomalies

°C difference relative to 1961-1990 average



Source: Footnote 3, J.P. Morgan

Increases in the global average surface temperature affect the earth's climate system. This system is complex, non-linear and dynamic. It is helpful to think of the climate as the probability distribution of weather outcomes.⁴ Each day's weather comes from this distribution. In fact, the climate system covers more than what we normally think of as the weather—temperature, precipitation, wind, cloudiness and storms. It also covers complex features such as snow and ice cover, the sea level, atmospheric and ocean circulation patterns (such as the Gulf Stream and the El Niño Southern Oscillation). All of these interact in complex, non-linear and dynamic ways. Of particular importance are positive feedback mechanisms

³ Morice, C. P., J. J. Kennedy, N. A. Rayner, and P. D. Jones, Quantifying uncertainties in global and regional temperature change using an ensemble of observational estimates: The HadCRUT4 dataset, 2012

⁴ Auffhammer, M., Quantifying economic damages from climate change. *JEP*, Fall 2018

which create amplification in response to initial shocks. Due to this complexity, climate models, even if they are huge, don't fully capture everything that is going on.

If we think of the climate as a probability distribution covering weather and these other aspects, climate change refers to a shift in the moments of this probability distribution. And what matters is not simply the mean and variance, but also the skewness and kurtosis. Skewness and kurtosis determine the fatness of the tails—the likelihood of low-probability, extreme events.

The Paris agreement on climate change, adopted in December 2015, has a central objective of limiting the rise in the global temperature “to well below 2°C above pre-industrial times, and to pursue efforts to limit the temperature increase even further to 1.5°C.” This objective is to be met by the end of the century. Given that the rise in atmospheric CO₂ has already increased the global temperature by around 1°C relative to pre-industrial times, and there is a lagged effect still to come, these Paris objectives look challenging, especially with the US decision to leave the Paris Accord (Table 1, RCP8.5 is a BAU pathway).

Global greenhouse gas (GHG)⁵ emissions in 2017 were around 52GtCO₂eq (gigatonnes of CO₂ equivalent). If no new policies are enacted relative to what was legislated as of the end of 2017, emissions would rise to 60GtCO₂eq by 2030 and 70GtCO₂eq by the end of the century (Figure 4, Business-as-usual (BAU) scenario). This would likely mean a global temperature increase of around 3.5°C at the end of the century relative to pre-industrial times. To achieve the Paris objective of limiting the temperature increase to below 2°C (with a 67% likelihood), global GHG emissions would have to fall to 42GtCO₂eq by 2030 and to minus 4GtCO₂eq by the end of the century. To achieve the Paris objective of limiting the temperature increase to 1.5°C (with a 50% likelihood), global emissions would need to decline to 39GtCO₂eq by 2030 and minus 10GtCO₂eq by the end of the century⁶.

⁵ Analysis of climate change either focuses on all greenhouse gases (GHG) measured in CO₂ equivalents or just carbon dioxide. In this note we focus mainly on CO₂. Other GHG include methane, nitrous oxide, hydrofluorocarbons, perfluorocarbons and sulphur hexafluoride.

⁶ Keramida, K., Tchung-Ming, S., Diaz-Vazquez, A.R., Weitzel, M., Rey Los Santos, L., Wojtowicz, K., Schade, B., Saveyn, B., Soria-Ramirez, A., Global Energy and Climate Outlook 2018: Sectoral mitigation options towards a low-emissions economy, European Commission, 2018


Table 1: IPCC Representative Concentration Pathways (RCPs)

	CO ₂ concentration ppm	Temperature °C	Sea level m
RCP 2.6	420	1.0 (0.3-1.7)	0.4
RCP 4.5	650	1.8 (1.1-2.6)	0.5
RCP 6	850	2.2 (1.4-3.1)	0.5
RCP 8.5	1370	3.7 (2.6-4.8)	0.6

Source: IPCC

Figure 4: Global greenhouse gas emissions

GtCO₂-eq



Source: See footnote 6, J.P. Morgan

CO₂ emissions dominate overall GHG emissions, accounting for almost 70% of total emissions. CO₂ emissions—generated by power production, industry, transport, agriculture and deforestation—are currently on an unsustainable trajectory (Table 2). If no steps are taken to change the path of emissions, the global temperature will rise, rainfall patterns will change creating both droughts and floods, wildfires will become more frequent and more intense, sea levels will rise, heat-related morbidity and mortality will increase, oceans will become more acidic, and storms and cyclones will become more frequent and more intense (Figures 5⁷ and 6⁸). And as these changes occur, life will become more difficult for humans and other species on the planet.

⁷ Siddall, M., Rohling, E.J., Almagi-Labin, a., Hemleben, C., Meischner, D., Schmelzer, I., Smeed, D.A., Sea-level fluctuations during the last glacial cycle, Nature, Vol. 423, pp. 853-858, 2003. Petit J.R., Jouzel J., Raynaud D., Barkov N.I., Delmotte M., Kotlyakov V.M., Legrand M., Lipenkov V., Lorius C., Pépin L., Ritz C., Saltzman E., Stievenard M., Climate and Atmospheric History of the Past 420,000 years from the Vostok Ice Core, Antarctica, Nature, 399, pp.429-436, 1999.


⁸ Extreme events include geophysical, meteorological, hydrological and climatological events that “have caused at least one fatality and/or produced normalised losses ≥US\$ 110k, 300k, 1m or 3m (depending on the assigned World Bank income group of the affected country),” Munich Re, 2019

Table 2: Global greenhouse gas emissions to meet Paris 2°C objective

GtCO ₂ eq (gigatonnes of CO ₂ equivalent)	2010	2020	2030	2050
Total GHG emissions	47.5	53.0	42.2	17.9
CO ₂ emissions from fuel combustion	30.7	35.4	29.7	12.1
Power generation/district heating	11.6	13.5	9.4	2.0
Industry	6.1	6.4	6.0	2.3
Buildings	2.9	2.9	2.4	1.4
Agriculture	0.4	0.5	0.4	0.2
Transport	7.1	8.6	7.9	4.0
Other	2.6	3.6	3.6	2.2
CCS (CO ₂ captured)	0.0	0.0	0.0	1.2


Source: Tchung-Ming, S., Diaz-Vazquez, A. R., Keramidas, K., Global Energy and Climate Outlook 2018: GHG and energy balances 2018 GHG and energy balances – Supplementary material to "Global Energy and Climate Outlook 2018: Sectoral mitigation options towards a low-emissions economy." EUR 29573 EN, Publications Office of the European Union, Luxembourg, 2018, J.P. Morgan

Figure 5: CO₂ and sea level over the past 400,000 years



Source: See footnote 7, J.P. Morgan

Figure 6: Worldwide extreme weather events



Source: NatCatService, Munich Re; J.P. Morgan; See footnote 8

Although the direction of travel is clear, the challenge is to determine the pace of the change and the extent of the damage that climate change will inflict. Only then can decisions be made about appropriate changes, either to adapt to climate change or to mitigate to reduce emissions. Unfortunately, decision making is hard because uncertainty pervades the world of climate change, in four key ways.

First, there is uncertainty about the path of emissions. Population and economic growth are key drivers of emissions. Uncertainty about population growth is due to wide ranges for fertility and longevity (see [here](#)). Uncertainty about growth in GDP per capita is due to wide ranges for productivity growth (driven by technical change, institutions and structural policies). Uncertainty about the path of emissions also relates to the role of technology in improving both the energy efficiency of economic activity and the CO₂ intensity of energy production (principally electricity).

Second, there is uncertainty about the impact of CO₂ concentrations on the global temperature. The key issue here is the value of the Equilibrium Climate Sensitivity (ECS), which predicts the change in the global average surface temperature for each doubling of CO₂ concentrations in the atmosphere. There is huge uncertainty about the mean of this probability distribution and the shape of the distribution around the mean. Of particular importance is the fatness of the tails.

Third, there is uncertainty about the broader impact of rising temperatures on other aspects of the climate, e.g. the frequency and intensity of extreme weather events and the rise in the sea level.

And fourth, there is uncertainty about how the change in the climate affects GDP and other important issues such as heat-related mortality and morbidity, famine, water stress, migration, conflict, species survival and biodiversity.

Clearly humans and other animals have adapted to live in pretty diverse parts of the world with very different climates. The issue now is the pace and magnitude of the upcoming change in the climate. Due to the impact of human activity, atmospheric CO₂ concentrations are increasing at a faster pace than ever seen before and the climate is responding accordingly. Although precise predictions are not possible, it is clear that the earth is on an unsustainable trajectory. Something will have to change at some point if the human race is going to survive.

Figure 7 illustrates how human activity influences the climate, and then how the climate influences human activity. This special report follows the main threads of this exhibit, in three main sections:

- Section 1: the mechanics of climate change;
- Section 2: the impact of climate change;
- Section 3: the response to climate change.




Table 3: The evolution of global GHG emissions 1990-2050

GtCO ₂ -eq to achieve 2°C Paris scenario		
Starting date	1990	2015
GHG emissions at start	35.5	49.2
Contributions over next 25/35 years		
Population growth	13.7	7.5
Growth in GDP/capita	20.2	25.9
Energy intensity of GDP	-15.3	-35.9
Carbon intensity of energy	-4.9	-29.7
Ending date	2015	2050
GHG emissions at end	49.2	17.0

Source: European Commission, Global Energy and Climate Outlook 2018, J.P. Morgan

The impact of population growth and growth in GDP per capita are straightforward: with an unchanged energy structure they will exert upward pressure on emissions. The energy intensity of GDP depends on the sectoral structure of the economy; on the energy efficiency of buildings, transport, and industry; and on changes in land use (agriculture and forestry). Finally, the emissions intensity of energy production depends on the shift from carbon-producing energy sources (coal, gas and oil) to non-carbon sources (including nuclear and renewables).

The world's population is currently around 7.7 billion and according to UN estimates it will reach 9.7bn in 2050 and 10.9bn in 2100, due to the interaction between declining fertility and increasing longevity⁹. The pressure on emissions from the population will continue to increase in the coming decades, but at a slower pace than in recent decades as the growth in the global population slows. From 1980 to 2015, the global population increased by 66%. Between 2015 and 2050 it is expected to increase by 32%. The slowdown in population growth in the coming decades reflects an assumed further decline in the global fertility rates (children per adult female), from 3.9 in 1980 to 2.5 in 2019, to an assumed 2.2 in 2050 and an assumed 1.9 in 2100. Meanwhile, life expectancy at birth has increased from 60.3 years in 1980, to 72.0 years in 2019, and is expected to reach around 76.8 years in 2050 and 81.7 years in 2100.

Generating a long-run forecast of the growth in GDP per capita at a global level is very challenging due to huge uncertainties about productivity growth (driven by technological progress, physical capital, human capital and structural reform) and the extent to which the population participates in the labor force (influenced by longevity and pension systems). After growing at a 2.8% pace in the decade through 2007 and

Section 1: The mechanics of climate change

In this section we consider the impact of human activity on the climate: from human activity to CO₂ emissions; from CO₂ emissions to CO₂ concentrations; from CO₂ concentrations to the global temperature; and from the global temperature to the global climate.

From human activity to CO₂ emissions

The first step in the journey of climate change is the impact of human activity on CO₂ emissions.

To understand the evolution of emissions, it is helpful to look at the Kaya identity (Table 3). This looks at four key drivers of emissions of CO₂: population growth (P), growth of GDP per capita (GDP/P), the energy intensity of the economy (E/GDP), and the emissions intensity of energy production (GHG/E). The Kaya identity is:

$$GHG=P*(GDP/P)*(E/GDP)*(GHG/E)$$

⁹ United Nations, Department of Economic and Social Affairs, Population Division, World Population Prospects 2019: Highlights (ST/ESA/SER.A/423), 2019

at a 2.4% pace in the decade after 2008, the OECD projects that global GDP per capita will increase by 2.3% a year from 2020 to 2050.¹⁰ This is close to the estimate by Christensen et al.,¹¹ who forecast an average increase in global GDP per capita of 2.1% per year in the period 2010-2100. They also highlight the considerable uncertainty around this estimate, with a standard deviation of 1.1%-pts. If the distribution is normal, with 68% of the distribution within one standard deviation of the mean, then there is a 16% likelihood that the growth of global GDP per capita will be below 1% and a 16% likelihood that it will be above 3.2%. A low global growth rate through 2100 would ease pressure on emissions, while a high growth rate would add pressure, unless offset by greater climate mitigation policy and technological change.

Table 4: Decomposition of GHG emissions to meet 2°C target

Annual changes	Energy intensity of GDP	Emissions intensity of energy production
1990-2015	-0.612	-0.196
2015-2050	-1.026	-0.849
% change	68	332

Source: European Commission, Global energy and climate change, 2018, J.P. Morgan

Given these developments in population and GDP per capita, future emissions will depend on the energy intensity of GDP and the emissions intensity of energy production. Both of these drivers of emissions have declined in recent decades, but to achieve the Paris objective of limiting the temperature increase to less than 2°C, the pace of decline has to pick up significantly. Table 4 shows the declines in the energy intensity of GDP and the emissions intensity of energy production over the period 1990 to 2015. To meet the Paris 2°C objective, the annual pace of decline of the energy intensity of GDP has to almost double while the annual pace of decline of emissions intensity of energy production has to increase almost fourfold, according to the EC calculations.

From CO₂ emissions to CO₂ concentrations

The next step in the journey of climate change is the impact of cumulative CO₂ emissions on CO₂ concentrations in the atmosphere. It is the stock of CO₂ in the atmosphere that impacts the global temperature, rather than the flow of CO₂ emissions. Changes in atmospheric CO₂ concentrations depend on the net effect of emissions from power generation, industry, transport and changes in land use, on the one hand,

¹⁰ OECD, “Long-term baseline projections, No. 103,” OECD Economic Outlook: Statistics and Projections (database), <https://doi.org/10.1787/68465614-en> (accessed on 30 December 2019), 2019.

¹¹ Christensen, P., Gillingham, K., Nordhaus, W., Uncertainty in forecasts of long-run economic growth, PNAS, Vol. 115, 2018


and absorption of CO₂ by natural carbon sinks (trees and other plants, the soil and the oceans), on the other hand. The Global Carbon Project estimates how these carbon sinks have evolved over recent decades (Table 5). But there is huge uncertainty about how this carbon cycle works and how it will evolve. Indeed, there is a concern that elevated atmospheric CO₂ concentrations will decrease the absorptive power of these natural carbon sinks, as they either get saturated or diminish in size (deforestation) (Figure 8).¹²

Table 5: Global carbon emissions and carbon sinks

GtCO ₂ , annual averages	CO ₂ emissions	Land use change emissions	Ocean sink	Land sink
1960-1969	11.29	5.38	3.74	4.39
1970-1979	17.12	4.30	4.87	7.57
1980-1989	19.95	4.39	6.31	6.60
1990-1999	22.99	4.96	7.20	8.68
2000-2009	28.41	4.69	7.76	9.92
2010-2017	35.04	5.42	9.10	11.50

Source: Boden, T. A., Marland, G., and Andres, R. J.: Global, Regional, and National Fossil-Fuel CO₂ Emissions, Oak Ridge National Laboratory, U.S. Department of Energy, Oak Ridge, Tenn., U.S.A., doi 10.3334/CDIAC/00001_V2017, 2017; available at: http://cdiac.ess-dive.lbl.gov/trends/emis/overview_2014.html, average of two bookkeeping models: Houghton, R. A. and Nassikas, A. A.: Global and regional fluxes of carbon from land use and land cover change 1850-2015, Global Biogeochemical Cycles, 31, 456-472, 2017; Hansis, E., Davis, S. J., and Pongratz, J.: Relevance of methodological choices for accounting of land use change carbon fluxes, Global Biogeochemical Cycles, 29, 1230-1246, 2015, Le Quéré et al. 2018b, J.P. Morgan

Figure 8: Global tree cover loss



Source: See footnote 12, J.P. Morgan

¹² Hansen, M. C., P. V. Potapov, R. Moore, M. Hancher, S. A. Turubanova, A. Tyukavina, D. Thau, S. V. Stehman, S. J. Goetz, T. R. Loveland, A. Kommareddy, A. Egorov, L. Chini, C. O. Justice, and J. R. G. Townshend. 2013. “High-Resolution Global Maps of 21st-Century Forest Cover Change.” *Science* 342 (15 November): 850–53.

“Loss” indicates the removal or mortality of tree cover and can be due to factors such as mechanical harvesting, fire, disease, or storm damage, it does not equate deforestation (Global Forest Watch, 2019); Canopy cover threshold of more than or equal to 30% has been used.

The UN Intergovernmental Panel on Climate Change (IPCC) maps cumulative CO₂ emissions from 2011-2100 onto atmospheric CO₂ concentrations in 2100 (Table 6).¹³ A business-as-usual policy would see atmospheric CO₂ concentrations in 2100 of 645-780ppm. This compares with the pre-industrial average of around 280ppm, and the current level of around 410ppm. If CO₂ concentrations reach this level there is no likelihood of meeting the Paris objectives.

Table 6: From cumulative CO₂ emissions to temperature increases

Cumulative CO ₂ emissions 2011 - 2100 GtCO ₂	CO ₂ concentrations in 2100 ppm	Temperature in 2100 relative to 1850 - 1900 °C*	Probability of exceeding 2°C gain in temperature %
630 - 1180	390 - 435	1.6 (1.0 - 2.8)	25
960 - 1550	425 - 460	1.9 (1.2 - 3.3)	47
1720 - 2240	425 - 520	2.2 (1.4 - 3.6)	69
1870 - 2440	500 - 545	2.5 (1.5 - 4.2)	84
2570 - 3340	565 - 615	2.8 (1.8 - 4.5)	92
3620 - 4990	645 - 780	3.4 (2.1 - 5.8)	99
5350 - 7010	810 - 975	4.5 (2.8 - 7.8)	100

Source: IPCC (see footnote) *10th to 90th percentile in parentheses

From CO₂ concentrations to temperature

The next step is the impact of atmospheric CO₂ concentrations on temperature. This is referred to as the Equilibrium Climate Sensitivity (ECS), which is defined as the impact on the global average surface temperature of a sustained doubling of CO₂ concentrations in the atmosphere, relative to pre-industrial times, once the climate system has reached a new equilibrium. The ECS is estimated from complex climate models and from the paleoclimate record.

The IPCC's most recent estimate of the ECS is a range from 1.5°C to 4.5°C. Interestingly, this range has changed very little over recent decades despite a considerable research effort. A doubling of CO₂ concentrations would involve a rise from the pre-industrial average of around 280ppm to 560ppm. With CO₂ concentrations already around 410ppm, a doubling from pre-industrial times will likely occur by around 2070 in the absence of a significant change in policy.

It is possible to argue that the impact of ongoing emissions on the climate will be modest. It is also possible to argue that it will be catastrophic. If the ECS is at the bottom of the IPCC's range there would be little need for a dramatic policy of climate mitigation. If a doubling of CO₂ concentrations led to a temperature increase of 1.5°C, then it would be reasonable to begin mitigation efforts modestly and build up gradual-

ly over time. But, it seems very unlikely that the ECS is as low as 1.5°C. There has been a 46% increase in CO₂ concentrations since pre-industrial times, which has been accompanied by an increase in the global average surface temperature of close to 1°C. Given that it takes time for CO₂ concentrations to have their full effect on global temperature, this suggests an ECS well above the lower end of the IPCC's range.

In contrast, an ECS in the top half of the IPCC's range would be of much greater concern. Gauging the consequences of a temperature increase of 3–4.5°C is very difficult. The earth has not seen an average temperature 3°C above pre-industrial times for around four million years and has not seen an average temperature 4.5°C above pre-industrial times for at least ten million years. But if CO₂ concentrations reach 700 ppm, which is quite likely under a BAU policy and would be 2.5 times higher than the pre-industrial average, and if the ECS is 4.5, the top end of the IPCC's range, the ultimate increase in the global temperature would be around 11°C. This would create huge challenges for the survival of the human race.

The uncertainty over the ECS relates to how the climate system will change as the Earth warms. There are two key sources of uncertainty around the ECS: fast positive feedback mechanisms, which work over a period of decades, and slow positive feedback mechanisms, which work over periods of hundreds or thousands of years. These mechanisms either increase the stock of CO₂ in the atmosphere or amplify the impact of CO₂ concentrations on the global temperature.

Fast positive feedback mechanisms refer to how a warming atmosphere increases water vapor and clouds, and reduces snow and sea ice, which will change the impact of CO₂ concentrations on the global temperature. Water vapor is a GHG so as the atmosphere warms the impact of CO₂ emissions on the climate will increase. With snow and sea ice there is an albedo effect. As snow and sea ice melts, less sunlight is reflected due to the darker nature of the land and sea. Thus, warming-induced reduction in snow and sea-ice cover will also increase the climate's sensitivity to a given CO₂ concentration: an increase in the ECS. Tan et al.¹⁴ argue that a significant amount of uncertainty about the ECS is due to the behavior of clouds. They argue that climate models fail to fully account for shifts in the composition of mixed-phase clouds (those consisting of ice crystals and supercooled liquid droplets). As the temperature rises, mixed-phase clouds reflect less sunlight back into space. These fast positive feedback mechanisms will unfold over the coming decades, but

¹³ IPCC, AR5 Climate Change 2014: Mitigation of Climate Change, chapter 6, 2014

¹⁴ Tan, I., Storelvmo, T., Zelinka, M. D., Observational constraints on mixed-phase clouds imply higher climate sensitivity, Science, Vol. 352, 2016

the precise impact on the ECS is uncertain. According to Tan et al., the ECS could be in a range of 5°C to 5.3°C, significantly higher than the IPCC estimate.

In addition to the fast positive feedback mechanisms, uncertainty about the ECS over a longer horizon is created by slow positive feedback mechanisms, which operate over a period of centuries or even thousands of years. Slow positive feedback mechanisms include changes to atmospheric circulations, ice sheet cover and the behavior of the oceans, vegetation and soil carbon sinks. They are slow because it takes a long time for atmospheric conditions to change and for ice sheets to melt. The concern about the slow positive feedback mechanisms is that they may have tipping points which occur much earlier, which create irreversible and possibly accelerated developments.

Table 7: Positive climate feedback mechanisms

Type of feedback	Mechanism
Fast feedbacks	
Water vapor	Traps heat in the atmosphere
Clouds	High clouds trap heat in the atmosphere
Arctic sea ice	Less reflection of sunlight and more heat absorption
Glaciers	Less reflection of sunlight and more heat absorption
Slow feedbacks	
Greenland and Antarctic ice sheets	Less reflection of sunlight and ocean circulation
Atlantic meridional overturning circulation	Major reduction in strength
El Nino Southern oscillation	Increase in amplitude
North Atlantic ocean convection	Major reduction in strength
Permafrost	Release CO ₂ and methane
Reduced carbon sinks	Release CO ₂
Amazon rainforest dieback	Release CO ₂
Boreal forest dieback	Release CO ₂

Source: Kopps, Shwom, Wagner and Yuan, Tipping elements and climate-economic shocks: Pathways toward integrated assessment, Earth's Future, 2016; NASA; Met Office; J.P. Morgan

Importantly, tipping points are either about passing a point of no return, where a reduction in CO₂ concentrations would fail to return the climate to the original state, or about a pick up in the momentum of change, for example the speed at which ice sheets melt. They are not about cliff-edge abrupt changes where the behavior of the climate dramatically shifts in a short period of time.

Broadly speaking, there are two types of tipping points for slow positive feedback mechanisms.

First, those tipping points that increase CO₂ emissions in the atmosphere. Around half of anthropomorphic CO₂ emissions get absorbed by vegetation, soil and the oceans (carbon

sinks). The concern is that the ability of these sinks to absorb emissions declines as the temperature rises. This would increase the impact of anthropomorphic emissions on the climate. There are also processes that release more CO₂ into the atmosphere. For example, as the frozen tundra in Canada and Russia melts it will release CO₂ and methane into the atmosphere. Another example is the risk of die-back in the Amazon and Boreal forests, which would also increase CO₂ in the atmosphere. Again, both of these will increase the impact of anthropomorphic emissions on the climate.

And second, those tipping points that change the way the ocean and atmospheric circulation systems work and amplify climate change relative to CO₂ concentrations. Examples here include, changes to the Indian monsoon, the melting of the Greenland and West Antarctic ice sheets, changes to the Atlantic Meridional Overturning circulation and the El Niño Southern Oscillation.

There is huge uncertainty about when these tipping points might occur. Even if the full impact of the slow positive feedback mechanisms may take a long period to be felt, the tipping point could occur much sooner. In considering where the dangerous threshold might be, Steffen et al.¹⁵ suggest 2°C “because of the risk that a 2°C warming could activate important tipping elements, raising the temperature further to activate other tipping elements in a domino-like cascade that could take the Earth System to even higher temperatures”.

Some analysis suggests that the ECS is much higher than the IPCC estimate. In a reconstruction of the climate of the last 784,000 years, Friedrich et al.¹⁶ estimate an average ECS of 3.2°C, almost identical to the mid-point of the IPCC range. But, they find that the ECS is very sensitive to the background climate state. Thus, during glacial periods they estimate an ECS of 1.8°C, while for interglacial periods they estimate an ECS of 4.9°C. Since we are currently in an interglacial period, this ECS estimate is considerably higher than the mid-point of the IPCC range. Using their model and the IPCC Representative Concentration Pathway (RCP) scenario 8.5—broadly a business-as-usual emissions outlook—they estimate a global surface temperature increase from 1880 to 2100 of 5.9°C (with a likely range of 4.8°C to 7.4°C). This is

¹⁵ Steffen, W., Rockstrom, J., Richardson, K., Lenton, T. M., Folke, C., Liverman, D., Summerhayes, C. P., Barnosky, A. D., Cornell, S. E., Crucifix, M., Donges, J. F., Fetzer, I., Lade, S. L., Scheffer, M., Winkelmann, R., Joachim Schellnhuber, H., Trajectories of the Earth System in the Anthropocene, PNAS, 2018

¹⁶ Friedrich, T., Timmermann, A., Tigchelaar, M., Elison Timm, O., Ganopolski, A., Nonlinear climate sensitivity and its implications for future greenhouse warming, Sci. Adv., 2016


more than 2°C higher than the IPCC's central estimate of the impact of this RCP scenario.

Over the long term the ECS is almost certainly higher than the IPCC's estimate, even leaving aside Friedrich et al.'s work. Using the paleoclimate record, Hansen et al.¹⁷ argue that the IPCC estimate of the ECS does not fully account for slow positive feedback mechanisms, which may take centuries or millennia to fully unfold. It is estimated that if slow feedback mechanisms are fully included, the ECS rises to 6°C, double the IPCC estimate.

While Hansen et al.'s estimate of the ECS may take hundreds or thousands of years to be fully realized, Friedrich et al. argue that a higher ECS may have an impact much sooner, by the end of this century. Hansen et al.'s work also recognizes this possibility. They argue that the changes already seen in the Greenland and Antarctic ice sheets are occurring at a faster pace than existing climate models would have predicted, possibly due to the unprecedentedly rapid rise in CO₂ concentrations, so the slow feedback mechanisms may be operating more quickly than seen in the paleoclimate record (Figure 9).

Figure 9: Arctic sea ice

Average September extent, million square km



Thus far, we have focused on the IPCC's central estimate for the ECS. But, the whole probability distribution matters as well. When the IPCC states that the ECS is likely between 1.5–4.5°C, it means that 66% of the probability distribution is in this range. This means that one third of the probability distribution is outside that range, mostly to the upside (Table 8).

Table 8: The IPCC's pdf for Equilibrium Climate Sensitivity

< 1°C	1.5-4.5°C	> 6°C
Extremely unlikely	Likely	Very unlikely
< 5% probability	> 66% probability	< 10% probability

Source: IPCC, J.P. Morgan

There is now a broad discussion of how uncertainty about the shape of the ECS probability distribution should influence the policy debate. For example, Weitzman¹⁸ highlights the importance of the shape of the probability distribution, especially the fatness of the tails. In a simple climate model, he illustrates how the shape of the probability distribution for the ECS influences the likelihood of extreme outcomes. He estimates the effect of an atmospheric CO₂ concentration of 600ppm on the level of the global temperature. If the distribution for the ECS is normal, there is a 4% likelihood that the temperature increase would exceed 6°C and a 10⁻⁸% likelihood that the temperature increase would exceed 12°C. In contrast, if the distribution is Pareto, which has fatter tails, Weitzman calculates that there is an 8% likelihood that the temperature increase would exceed 6°C and a 1.1% likelihood that the temperature increase would exceed 12°C. Given that a 12°C temperature increase would create huge challenges for the survival of the human race, Weitzman argues that “the primary reason for keeping GHG levels down is to insure against high temperature catastrophic climate risks.”

From temperature to climate

Much of the debate about climate change is framed around the temperature increase relative to pre-industrial norms. But the climate is about much more than the temperature. A rise in the temperature will trigger changes in the climate: shifts in patterns and amounts of precipitation (including monsoons), decreases in ice coverage, changes in wind patterns (for example, El Niño), changes in humidity, the greater likelihood and severity of extreme weather events (droughts, storms, hurricanes, cyclones), and changes in flooding and sea levels. There is huge uncertainty about all of this due to the complex nature of the climate system.

Consider the issue of the impact on the climate of the melting of the Greenland and West Antarctic ice sheets.

Nordhaus analyses the economic impact of a potential disintegration of the Greenland ice sheet.¹⁹ This is clearly a huge issue because a complete melting of the Greenland ice sheet

¹⁷ Hansen, J., M. Sato, P. Kharecha, D. Beerling, R. Berner, V. Masson-Delmotte, Pagani, M., Raymo, M., Royer, D.L., and Zachos, J.C., Target atmospheric CO₂: Where should humanity aim?, *Open Atmos. Sci. J.*, 2008

¹⁸ Weitzman, GHG Targets as Insurance Against Catastrophic Climate Damages, 2012

¹⁹ Nordhaus, W., Economics of the disintegration of the Greenland ice sheet, *PNAS*, vol. 116, 2019

would raise the sea level by around 7 meters, as well as change other aspects of the climate. Although a full melting might take 500-1000 years, irreversible non-linear tipping points could occur much sooner. Nordhaus argues that because the dynamic of disintegration is slow moving, a moderate discount rate puts the damages at close to zero in net present value terms. However, uncertainty about the non-linear interactions between the Greenland ice sheet and other dimensions of the climate system creates doubt about how precise Nordhaus can be.

Other scientists are more concerned. Focusing on both the Greenland and West Antarctic ice sheets, Hansen et al²⁰ argue that even a warming of 2°C relative to pre-industrial times could be dangerous and lead to a “non-linearly growing sea level rise, reaching several meters over a timescale of 50-150 years.” In an extensive study of the complex and dynamic climate system, they find that various slow feedback mechanisms in atmospheric and ocean circulation systems make ice sheets vulnerable to accelerating disintegration.

Hansen et al. also argue that non-linear ice sheet dynamics shorten the lag between increases in temperature and increases in sea level to only decades rather than centuries or millennia. This has huge implications if correct. If, for example, the sea level rose by 2 meters by 2100, this would displace hundreds of millions of people and create huge challenges for cities such as London, New York, Shanghai, Calcutta, Jakarta and Tokyo (Table 9). But the issue for coastal regions is not just the average sea level rise but also extreme weather events such as storms and cyclones. Hansen et al.’s analysis also suggests an increase in severe weather events alongside the rise in sea levels. Their message is that we have a climate emergency which should mean a rapid reduction of CO₂ emissions.

Table 9: Effects of sea level rise

Sea level rise, m	Land loss, km ²	% of global land area	Net population displaced	% of global population
0.5	877,000	0.6%	72,000,000	0.9%
2	1,789,000	1.2%	187,000,000	2.4%

Source: Nicholls et al., Sea-level rise and its possible impacts given a 'beyond 4°C world' in the twenty-first century, Phil. Trans. R. Soc. A, 2011, J.P. Morgan

²⁰ Hansen, J., Sato, M., Hearty, P., Ruedy, R., Kelley, M., Masson-Delmotte, V., Russell, G., Tselioudis, G., Cao, J., Rignot, E., Velicogna, I., Tormey, B., Donovan, B., Kandiano, E., von Schuckmann, K., Kharecha, P., Legrande, A. N., Bauer, M., Lo, K.W., Ice melt, sea level rise and superstorms: evidence from paleoclimate data, climate modeling, and modern observations that 2°C global warming could be dangerous, Atmospheric Chemistry and Physics, Vol. 16, pp. 3761-3812, 2016

Uncertainty caused by the shape of the ECS probability distribution, and especially the fatness of the upper tail, is one good reason for climate mitigation policies. Another good reason is the inertia in the climate system. Emissions of CO₂ today will continue to affect the climate not just in the 21st century but for hundreds, if not thousands, of years afterwards.

Looking at past experiences of the earth’s climate, a sustained rise in CO₂ concentrations to 1000ppm or more would ultimately make the earth uninhabitable to human life as we know it now. In the Eocene and Late Cretaceous periods—35 to 90 million years ago—CO₂ concentrations in the atmosphere were similar to where we will reach in 2100 with a business-as-usual approach. But back in the Eocene and Late Cretaceous periods, temperatures were around 5-8°C warmer than pre-industrial times and the sea level was 60-170 meters higher than today (Table 10).

Table 10: Past historical experiences

Epoch	Years before present	Atmospheric CO ₂ ppm	Global surface temperature Relative to pre-industrial times, °C	Sea level rise Meters
Current	0	410	1.0	N/A
Mid Holocene	6500	260	0.75	N/A
Eemian period	125000	290	1.25	6-9
Mid Pliocene	4 million	425	2-3.5	10-22
Mid Miocene	16 million	400	4.5	10-60
Eocene	35-55 million	680-1260	5-8	60-140
Late Cretaceous	90 million	1000	6.5	170

Source: Hayhoe, K., et al., Climate models, scenarios, and projections. In: Climate Science Special Report: Fourth National Climate Assessment, Volume 1, U.S. Global Change Research Program, 2017; Van Sickel, W., et al., Late Cretaceous and Cenozoic sea-level estimates: backstripping analysis of borehole data, onshore New Jersey, Basin Research, 2004; Steffan et al, Trajectories of the Earth System in the Anthropocene, PNAS, 2018; J.P. Morgan

Section 2: The impact of climate change

It seems clear that a business-as-usual approach to climate mitigation would lead to a significantly higher temperature and a significantly more adverse climate. To gauge what action to take in the face of climate change, it is helpful to know the economic and welfare consequences of different pathways for the climate. In this section we look at the estimates of climate change on GDP, and on other aspects of the human condition and on the earth’s ecosystem.

Estimates of climate change on GDP

The channels through which climate change will affect GDP are very broad because climate change is itself very broad. Most macro assessments focus on the impact of changes in

temperature on crop yields, labor supply and labor productivity.

In a summary of all the macroeconomic assessments he can find, Tol²¹ lays out the impact on the level of GDP of various increases in global temperature, relative to pre-industrial times, in cross-sectional, panel models and Impact Assessment Models (Table 11²²). A number of things are striking here.

First, given the importance of the issue, there are very few estimates, 26 in all.

Second, current policies would result in a global temperature increase of around 3.5°C at the end of the century, relative to pre-industrial times, yet only two of the estimates examine the impact of temperature increases significantly above 3°C.

Third, given that these are estimates of the impact on the level of GDP in 2100 they are incredibly small. At the moment, global GDP is around US\$100tn. At a growth rate of 2% a year, global GDP would reach around US\$500tn at the end of the century. A loss of even 7%, the highest estimate in the table, would still leave the level of GDP in 2100 over four and a half times higher than today.

And fourth, these are counterfactual losses rather than actual losses. Nobody would have an income in 2100 lower than today in absolute terms, but rather lower than it would have been in the absence of climate change.

Table 11: Impact of climate change on GDP

Global mean surface temperature increase °C	No. of estimates	Impact % on level of GDP	
		Average of estimates	Range of estimates
≤ 2	4	0.3	-0.5 to 2.3
2.5	11	-1.3	-3.0 to 0.1
3.0	9	-2.2	-5.1 to -0.9
5.4	1	-6.1	-6.1
6.0	1	-6.7	-6.7

Source: See footnote 21, J.P. Morgan; Columns 3 and 4 are the % impact on the level of GDP in 2100 relative to a scenario of no climate change.

More recent work on the damage of climate change on GDP has focused on growth effects, especially the likelihood that climate change will impact labor supply growth (heat-related mortality and morbidity) and productivity growth (heat-

related morbidity and heat stress) as well as the level of output. To the extent that climate change lowers growth rates, the negative impact of climate change will be greater, especially over long horizons. However, the impression given by Tol's analysis is not changed by much.

A recent econometric study²³ considers the impact of temperature and precipitation changes on labor productivity growth. This study combines time series data from 1960-2014 with cross-country data from 174 countries. It looks at the impact on labor productivity of deviations in climate (temperature and precipitation) from their historical averages. Their analysis suggests that an increase in the global average surface temperature of around 3.5°C above pre-industrial levels—broadly a business-as-usual (BAU) environment in line with the IPCC RCP 8.5 scenario—would reduce global GDP per capita by 7.2% by 2100.

The authors provide estimates of the impact of BAU on all 174 countries in their sample, where some countries will experience temperature increases well above the mean. Eighteen countries have an income shock in 2100 of more than 10% (including the US) and two have an income shock of more than 15%. But assuming that GDP per capita keeps growing over the next 80 years, even a 15% shock to the level of income looks small. If we assume current income is \$100, then 2% growth over the next 80 years would deliver an income of around \$500 in 2100. Instead of an income of \$500 in 2100, a 15% shock to the level of income would deliver an income of \$425. That would still be over four times higher than today's income. These calculations illustrate that the income losses from BAU climate policy are counterfactual rather than actual. In no estimate is the level of income in 2100 lower than it is today.

Other research has come up with larger effects. Burke et al²⁴ have estimated a model that shows sharp declines in labor supply, labor productivity, and crop yields beyond certain temperature thresholds. Their analysis suggests that an increase in average temperature of around 3.5°C, relative to pre-industrial times, would reduce the level of global GDP by around 23% in 2100. This is much larger than the estimates in the table above, but it is still a counterfactual loss. If we assume current income is \$100, then 2% growth over the next 80 years would deliver an income of \$500 in 2100. A

²¹ Tol, R., The economic impacts of climate change, Review of Environmental Economics and Policy, 2018

²² The final two columns show the impact of climate change on the level of GDP in 2100 relative to the situation of no climate change

²³ Kahn, Mohaddes, N.C. Ng, Pesaran, Raissi and Yang, Long-term macroeconomic effects of climate change: a cross-country analysis, NBER working paper, 2019

²⁴ Burke, M., Hsiang, S. M., Miguel, E., Global non-linear effect of temperature on economic production, 2015

23% loss would still leave income in 2100 standing at \$385, considerably higher than today's level.

Wealth effects and the discount rate

The true economic losses from failing to mitigate climate change are much greater than suggested by these income losses. If an income effect persists through time, then it is important to consider the present value of the income losses, which represents the impact on wealth rather than income. This is not generally considered by economists studying climate change. But, it is important. Of course, the discount rate is critical in evaluating the net present value of a permanent loss to the level of GDP, and in the climate change literature there is an intense debate about what discount rate to assume.

The Stern report²⁵ in 2007 argued for a discount rate close to 1%, while at the time Nordhaus²⁶ argued for a discount rate closer to 6%. To see the impact of the discount rate, the net present value of a permanent 7% shock to income with a 1% discount rate is almost seven times the annual level of GDP (Table 12). This means that in the absence of climate mitigation policies, the global economy's wealth would be lower than it would otherwise have been by an amount equal to seven times annual GDP. The shock to wealth declines as the discount rate rises. At a 4% discount rate, a 7% permanent income shock reduces wealth by 175% of annual GDP relative to what would otherwise have happened. At a 6% discount rate, the net present value of the income losses would be 117% of annual GDP.

Table 12: Net present value of income shock
% of annual GDP

Income shock	Discount rate			
	1%	2%	4%	6%
-1%	99	50	25	17
-3%	298	150	75	50
-5%	497	250	125	83
-7%	695	350	175	117
-10%	993	500	250	167
-15%	1490	750	375	250

Source: J.P. Morgan

Even though a proper assessment of the significance of these climate-driven GDP shocks needs to include the impact on wealth (the net present value of income), these are still counterfactual losses of wealth. Wealth is not lower in absolute terms, but rather it is lower than it would otherwise have

been in the absence of climate change. Given that wealth is likely to grow over the coming 80 years, even sizable losses in wealth still leave future generations wealthier in 2100 than the current generation.

Economic impacts are too small

Most likely, these estimates of the income and wealth effects of unmitigated climate change are far too small. Econometric models are based on historical data of variations in temperature and precipitation seen over recent decades. But, we have not seen enough variability in the data to make these models reliable. A BAU climate policy would likely push the earth to a place that we haven't seen for many millions of years. Experience over recent decades is not a useful guide to that kind of future.

Moreover, economists have struggled to quantify the impact of other aspects of climate change beyond temperature and precipitation, such as extreme weather events, droughts, heatwaves, floods and sea level increases. These broader aspects of climate change would not only impact GDP and welfare directly, but would also have indirect effects via morbidity, mortality, famine, water stress, conflict and migration. There will also be damage to buildings and infrastructure and possibly the premature scrapping of some of the capital stock as policy and technology change. Moreover, there are plenty of non-linearities in both the climate system and the macro economy which could make the economic consequences of BAU much more severe.

The economics of climate change is also in the tails of the probability distribution, and in the risk of disastrous outcomes. Uncertainty about the shape of the fat tail of the ECS probability distribution function can have a huge impact on estimates of economic damages. Economic models struggle to deal with an ECS from the fat upper tail. For example, Calel et al.²⁷ note that IAMs (Integrated Assessment Models) can suggest that a 10°C temperature rise would depress global GDP in 2100 by only 17%, while a 20°C temperature increase would depress global GDP in 2100 by only 50%. Given that a temperature increase of 10°C would make life on earth extremely challenging, while a temperature increase of 20°C would almost certainly make the earth uninhabitable, these estimates show that economic models struggle to deal with low probability events that could prove catastrophic.

²⁵ Stern, N., *The Economics of Climate Change*, 2007

²⁶ Nordhaus, W., *A Review of the Stern Review on the Economics of Climate Change*, JEL, 2007

²⁷ Calel, R., Stainforth, A. D., Dietz, S., *Tall tales and fat tails: the science and economics of extreme warming*, *Climate Change*, 132 (1). pp. 127-14, 2015

The impact of climate change beyond GDP

Some economists have tried to quantify the impact of climate change beyond GDP. Hsiang et al.²⁸ estimate the effect in the US of temperature and rainfall on agriculture, mortality, crime, labor, coastal impacts and energy demand. They do not include the impact of climate change on morbidity or labor productivity. Aggregating across sectors using willingness-to-pay or accounting data, they estimate that for the US as a whole, the shock to the level of GDP (as a % of GDP) for 1.5°C of warming is +0.1 to -1.7% of GDP, while for 4°C of warming the shock to the level of GDP is -1.5 to -5.6% of GDP. This reflects reduced agricultural yields, increased mortality, increased crime, reduced labor supply, increased electricity demand and amplified coastal impacts due to more hurricanes and sea level increases. Given that these losses are relative to a counterfactual baseline, we would stress that these effects are small relative to a level of income that could be five times higher in 2100. Indeed, they are not that different to the more narrowly based estimates highlighted above. These estimates alone do not sound particularly alarming, but quantifying the impact of climate change only in dollar terms overlooks the potential severity of the human and environmental costs.

Climate change and health

The human cost of climate change will play out through worsening health outcomes. The World Health Organization (WHO) projects that over 2030-2050, climate change will cause around 250,000 additional deaths per year, with this being a conservative estimate, taking into account only a subset of possible channels (Figure 10).²⁹ The burden on human health will not be shared equally, with children, the elderly, and those in developing countries most vulnerable. In geographic terms, the WHO sees Sub-Saharan Africa being most affected in 2030 with the burden shifting to South Asia by 2050. Climate change will likely also have some localized positive effects on mortality and illness, due to fewer extreme cold days that would benefit some communities, but ultimately, the negative impact is projected to dwarf the positive.


Rising global temperature and more frequent episodes of extreme heat will affect human health through multiple channels. According to the WHO, warmer temperatures are linked to higher allergen levels, causing asthma, and also are associated with higher risk of mosquito-borne diseases including

²⁸ Hsiang, S., et al., Estimating economic damages from climate change in the United States, *Science* 356, 1362-1369, 2017

²⁹ World Health Organization, Quantitative risk assessment of the effects of climate change on selected causes of death, 2030s and 2050s, 2014

malaria and dengue. Moreover, heat stress, which can occur at temperatures above 35°C, is associated with respiratory and heart problems. Those working outdoors in sectors such as agriculture and construction are especially vulnerable to heat stress and decreased labor productivity is expected to become an increasing problem, particularly in South Asia and West Africa³⁰. Episodes of extreme heat, which are expected to become more frequent, can be fatal, particularly for children and the elderly. Of the 250,000 extra deaths per year projected by the WHO, 38,000 are attributed to heat exposure in elderly people.

Figure 10: Additional annual deaths between 2030-2050 caused by climate change



Source: WHO, J.P. Morgan

In addition to rising temperature, variability in climate and precipitation patterns can also have detrimental health impact through the disruption of the production of staple crops, including rice, maize and wheat. Generally, warmer temperatures and fewer cold periods are expected to increase yields in cold geographies, but decrease yields in those that are already warm. However, climate change-induced droughts, excessive or unpredictable rainfall patterns and sea-level rise-induced land loss or salinization will almost certainly cause crop degradation. Rural communities in developing countries are most vulnerable—in part because of higher barriers to adaptation—and crop failure will cause or exacerbate hunger and malnutrition.

Climate change also threatens water security, which is critical for food production, access to safe drinking water, adequate hygiene and the prevention of disease. Water stress, more generally, describes a high ratio of water withdrawal for human, agriculture, and industry usage, to water availability, and can be a result of a physical shortage or institutional or infrastructural failure. Currently, the Middle East and North Africa are the most water scarce regions globally, with over 60% of the population exposed to “high” or “very

³⁰ International Labour Organization, Working on a warmer planet: The impact of heat stress on labour productivity and decent work, 2019

high” degrees of water stress, compared to a 36% global average. The WHO predicts that by 2025 half the global population will live in areas afflicted by water stress. In addition to challenges posed by changing demographics and population growth, water stress can be exacerbated by climate change, as rainfall patterns become less predictable and more frequent flooding contaminates fresh water supplies.

Estimating the human health cost of climate change is fraught with challenges, hence the WHO estimates only focus on a subset of drivers, and notably do not account for the impact of natural disasters. It’s clear though that natural disasters, which will become more frequent with climate change, will also contribute to increased mortality and morbidity, destruction of shelter and disruption of medical supplies and services. And while developing countries are typically more vulnerable to such risks—due to already weaker infrastructure and less ability to adopt adaptation or mitigation technologies—natural disasters can have an impact on societies globally. Heat stress, water and food scarcity and natural disaster damage are consequences of climate change that bear a uniquely human cost, regardless of the impact on gross domestic product. They can also trigger second- and third-round effects, likely human migrations and conflict.

Climate change and migration pressure

Climate migration has long existed, but the pressing importance of it today relates to predictions that the effects of climate change will intensify this century. Migration is either internal (moving within a country) or external (cross-border), but of the one billion migrants globally at the moment, 75% are estimated to be internal. When migration is cross-border, migrants tend to stay within neighboring regions, where cultural, religious, or family ties are more easily maintained. Climate change is expected to increase the frequency and intensity of extreme weather events, pushing up internal migration as people relocate (in some cases temporarily) away from disaster zones. Rising sea levels are also a climate-related driver of internal migration and present a serious threat to inhabitants of low-lying coastal areas. In fact, rising sea levels pose an existential threat to some small island states.

The International Organization for Migration states that there are no reliable estimates of climate migration. And what’s more, most of the analysis focuses on internal migration. For example, the most extensive study of climate migration by the World Bank only focuses on internal migration.

The World Bank developed a model to project climate migration, which embeds slow-onset climate change into future

population distributions for three emerging market regions: Sub-Saharan Africa, South Asia, and Latin America.³¹ The model considers three scenarios. The “reference” scenario, poignantly also the most pessimistic scenario, assumes little to no climate policy, continued reliance on fossil fuels, and energy-intensive development. It is characterized by increasing greenhouse gas emissions, consistent with global warming of 2.5°C by 2050. It also assumes high population growth and growing inequality in low-income countries. The “more inclusive development” scenario assumes the same emissions profile, but with more moderate trends in population growth and inequality. The “climate friendly” scenario shares the same socioeconomic pathway as the “reference” case, but includes lower emissions, implying 0.3°C global warming by 2050. This scenario assumes rapid adoption of strong environmental policies and cleaner technology.

The headline findings of the report are the following: in the absence of policy action, climate change may result in the movement of 143 million people within their countries’ borders by 2050. Sub-Saharan Africa stands to be most affected, with internal climate migrants expected to account for 3.5% of the region’s population by 2050. The World Bank’s model is a step closer to grasping the magnitude of future climate migration, but since only three regions are covered, the estimates are a lower bound. Furthermore, the report exclusively models internal migration and excludes displacements due to extreme weather events (Table 13).

Table 13: Projection of internal climate migrants by 2050

Million people, unless otherwise stated						
	"Reference" scenario		"More inclusive development" scenario		"Climate-friendly" scenario	
Total						
Number	117.5		85.1		51.1	
Min/Max	91.8	143.3	65.1	105.3	31.2	71.7
% population	1.8%	2.8%	1.3%	2.1%	0.6%	1.5%
Sub-Saharan Africa						
Number	71.1		53.3		28.3	
% population	3.5%		3.0%		1.4%	
South Asia						
Number	35.7		21.1		16.9	
% population	1.6%		0.9%		0.7%	
Latin America						
Number	10.6		10.5		5.8	
% population	1.6%		1.5%		0.9%	

Source: World Bank Groundswell Report (2018)

But internal migration is unlikely to be the only, or even the most important, consequence of climate change on popula-

³¹ Groundswell: Preparing for Internal Climate Migration”, The World Bank, 2018

tion movements. External migration is likely to increase as rising temperatures and unpredictable rainfall patterns affect agricultural production and water availability across whole regions. Unlike localized flooding or natural disaster damage, sustained warming and altered weather patterns are more likely to affect entire countries or regions, meaning internal or local migration is no longer an option. For example, the 1840s' Irish Famine was responsible for a vast external migration of Irish people to North America and England, since a mostly rural Ireland offered no industrial alternative to sustain a livelihood.

Climate change and conflict

In parts of the world where climate change intensifies competition for food, water and shelter, there is an increased risk of conflict. Research finds that above-average temperature and below-average rainfall are conditions positively associated with the initiation and duration of conflict.³² However, the causality of violence is complex, and other factors, including socioeconomic standing, inequality, weak governance and past episodes of violence are all intertwined. Hence there are serious challenges in trying to predict when and where conflicts may arise in the face of a changing climate.

Nonetheless, the academic literature puts forward a number of channels through which climate change can induce conflict. While much of the research is based on context-specific case studies, it at least sheds light on how climate change might give rise to future conflicts. It also gives a broad sense of which communities are most vulnerable. Much of the research focuses on the effects in developing countries, and channels are likely to be felt more strongly in regions with a high dependency on agriculture as well as weak institutions or high corruption. A 2018 research paper by the Stockholm International Peace Research Institute, which focuses on climate conflict in South and South East Asia, categorizes the following pathways: deterioration of livelihoods, tactical consideration of armed groups, exploitation of social vulnerabilities and resources by elites, and displacement and migration.³³

The first is perhaps the most obvious; in the context of water or food scarcity, or among communities where incomes from agriculture or fishing have collapsed, civil conflicts are more likely to erupt. Moreover, in this environment the opportunity

cost of earning income through illegal activity or joining rebel groups is lower. Indeed, the paper finds that armed groups can exploit climate events to gain power. Such groups can become more violent during climate events in order to secure their own food needs, as well as utilizing periods of higher civilian popularity to expand recruitment.

It is not only rebel or terrorist groups that can take advantage of climate crises though. Research finds that community elites, such as landowners or corporations, might also use such events to gain influence, by securing aid distribution rights or unfairly claiming landownership during periods of migration. Migration itself can also give rise to conflict, as a result of cultural or religious tensions or through exacerbating the scarcity of natural resources.

Ecosystems and species survival

Beyond GDP accounting, one must also consider the impact of climate change on the natural world. Nature is the lifeblood of the planet and critical for human existence, providing food, energy and medicine and also playing a fundamental role in communities and cultures. Human activity has an outsized influence on the natural environment and scientists have documented significant declines and degradations to ecosystems and biodiversity. A landmark report, published by the United Nations in 2019, has found that the state of nature is deteriorating at a rate unprecedented in human history.³⁴ The extent and condition of ecosystems globally has found to have declined by 47% of their estimated natural baseline, and the report expects the decline to persist by at least 4% per decade. Moreover, the rate of extinction globally is estimated at tens to hundreds of times higher than the average over the last 10 million years. The rate of extinction is accelerating, with around one million species threatened with extinction, many within decades.

Climate change is among the primary drivers of a human-induced decline in the state of nature. The increased intensity and frequency of extreme weather events including droughts and floods as well as sea-level rise and ocean acidification (to name a few) exacerbate the already negative trends in the natural environment. Even without climate change, ecosystems and biodiversity face challenges from agricultural expansion, urbanization, exploitation and pollution. To give a sense of the scale of some of these issues, just 13% of the wetlands in 1700 remained by 2000, the global forest area is now estimated to be 68% of the pre-industrial level and

³² FAO, Food security and conflict: Empirical challenges and future opportunities for research and policy making on food security and conflict, 2018

³³ SIPRI, Climate change and violent conflict: Sparse evidence from South Asia and South East Asia, 2018

³⁴ IPBES, Global assessment report on biodiversity and ecosystem services of the Intergovernmental Science-Policy Platform on Biodiversity and Ecosystem Services, Summary for Policymakers, 2019

around half the live cover on coral reefs has been lost since 1870. Many negative effects have accelerated in recent decades, which is hardly surprising since the value of food crop production has expanded 300% since 1970 and urban areas have more than doubled since 1992.

Climate change is expected to increasingly influence the natural world, and the UN bleakly warns that even moderate global warming of 1.5°C to 2°C will “profoundly shrink” the geographical areas where species are found. With 2°C global warming, research finds that 5% of species are at risk of climate-related extinction and this figure rises to 16% with 4.3°C of warming. The thresholds for coral reefs are much lower still, and 2°C warming is projected to reduce coral reefs to less than 1% of their former cover. If moderate levels of warming can have such devastating effects on the natural environment, it doesn’t seem like an overreach to categorize the ecological situation as a state of crisis, requiring “transformative change” and international cooperation.

Section 3: The response to climate change

In this section we consider what needs to be done to either make it easier to live with climate change (adaptation) or to reduce the amount of climate change (mitigation).

CO₂ emissions as a global externality

Climate change reflects a global market failure in the sense that producers and consumers of CO₂ emissions do not pay for the climate damage that results. The standard economic answer to such an externality is a Pigovian tax: essentially a tax on CO₂ emissions. This would provide incentives to producers to shift production in a less CO₂ intensive direction, to consumers to shift consumption to less CO₂ intensive goods and services and to entrepreneurs to encourage innovation in low CO₂ technologies. It is best if the CO₂ tax is global to deal with the free rider problem.

In a recent study, the IMF estimated that in order to achieve the Paris 2°C objective, a global carbon tax should be introduced immediately and rise to \$75 a ton of CO₂ by 2030.³⁵ This would be a huge move given that the IMF estimates that the global average price on CO₂ emissions is currently around \$2 a ton, reflecting a number of regional and local carbon pricing schemes.

Given the current environment on international cooperation, and the positions on climate change taken by a number of world leaders, a global carbon tax is not going to happen anytime soon. Despite being signatories of the Paris agreement,

and recognizing that there should be greater ambition in reducing emissions, a number of countries resisted agreement on a global carbon trading system at the recent UN summit in Madrid (COP25). A huge issue concerns equity across countries. Developed economies are reluctant to cut emissions, even though they have contributed the most to the stock of emissions over time, because this is seen as a threat to competitiveness and jobs. Emerging and developing economies who still see carbon intensity as a route to higher standards of living feel reluctant to curb emissions given that they have contributed so little to the climate problem (Table 14).

Table 14: Total CO₂ emissions from fossil fuels and cement production and gas flaring

	GtCO ₂ (% of global emissions)			
	2016 emissions	2016 emissions per capita	Cumulative emissions 1960 - 2016	Cumulative emissions 1960 - 2016 per capita
Global	36.2 (100)	4.8	1248.4 (100)	241.7
China	10.2 (28.1)	7.2	190.6 (15.3)	174.0
US	5.3 (14.7)	16.4	278.2 (22.3)	1104.8
EU 28	3.5 (9.7)	6.9	228.8 (18.3)	488.5
India	2.4 (6.7)	1.8	43.5 (3.5)	50.8
Russia	1.6 (4.5)	11.3	98.1 (7.9)	703.7
Japan	1.2 (3.3)	9.5	55.8 (4.5)	471.3
Iran	0.7 (1.8)	8.2	15.1 (1.2)	299.3
Saudi Arabia	0.6 (1.8)	19.6	13.1 (1.0)	851.4
South Korea	0.6 (1.6)	11.7	15.1 (1.2)	370.0
Canada	0.6 (1.6)	15.5	25.3 (2.0)	938.1
Indonesia	0.5 (1.4)	1.9	11.2 (0.9)	64.6
Brazil	0.5 (1.3)	2.4	13.3 (1.1)	93.8
South Africa	0.5 (1.3)	8.3	17.1 (1.4)	481.6
Mexico	0.5 (1.3)	3.8	16.8 (1.3)	209.6

Source: Hannah Ritchie and Max Roser (2019) - "CO₂ and other Greenhouse Gas Emissions". Published online at OurWorldInData.org. UNFCCC and CDIAC. Tom Boden and Bob Andres (Oak Ridge National Laboratory); Gregg Marland (Appalachian State University). Tchung-Ming, S., Diaz-Vazquez, A. R., Keramidis, K., Global Energy and Climate Outlook 2018: GHG and energy balances 2018 GHG and energy balances – Supplementary material to "Global Energy and Climate Outlook 2018: Sectoral mitigation options towards a low-emissions economy". EUR 29573 EN, Publications Office of the European Union, Luxembourg, 2018, UN, J.P. Morgan

Without agreement at the global level, initiatives are taking place at a more local level. The EU and the UK have both made commitments to reduce net carbon emissions to zero by 2050, although it is not clear exactly how that will be achieved and how these plans will deal with the competitiveness problem. In theory, a country or region pursuing an ambitious emissions reduction objective could impose a carbon border tax, although this would be very controversial. Despite these problems, a number of countries and localities have carbon taxes or emissions trading regimes. These cover around 24% of global CO₂ emissions but at a low average price. In addition, technological change and public pressure are changing rapidly, leading to moves toward both adaptation and mitigation.

³⁵ IMF, Fiscal Monitor: How to Mitigate Climate Change, Oct 2019

Adaptation and mitigation

Assessments of the economic consequences of climate change generally assume limited adaptation (adjusting to a more adverse climate) and mitigation (trying to stop a more adverse climate from developing). Adaptation—for example using more air conditioning units, building sea level defenses or using different crops—may limit the near-term impact of climate change on GDP, but at the risk of creating greater problems later, due to ongoing emissions.

The only way that climate change can be slowed, stopped or reversed is through mitigation strategies that impact emissions. One helpful way to think about mitigation is to return to the Kaya identity. This looks at the four key drivers of emissions of CO₂: population growth (P), growth of GDP per capita (GDP/P), the energy intensity of the economy (E/GDP), and the emissions intensity of energy production (GHG/E). The Kaya identity is:

$$\text{GHG} = \text{P} * (\text{GDP}/\text{P}) * (\text{E}/\text{GDP}) * (\text{GHG}/\text{E})$$

Mitigation strategies involve changes in the energy intensity of GDP (E/GDP) and in the emissions intensity of energy production (GHG/E). E/GDP is influenced by the sectoral structure of the economy, on the energy efficiency in buildings, transport and industry, and on land use (agriculture and forestry). GHG/E is influenced by the mix of energy production (electricity) between carbon-producing sources of energy and non-carbon sources.

The energy intensity of GDP (E/GDP) has been declining in recent decades. Since 1990, it has broadly offset the increased pressure on emissions coming from population growth. In order to meet the Paris objective, the pace of decline in the energy intensity of GDP has to pick up in the coming decades by around 70% relative to what we have seen in recent decades.

Here it is relevant to consider broader GHG emissions rather than just CO₂ emissions. Agriculture, forestry and other land use (AFOLU) for example emits only modest amounts of CO₂ but emits a lot of other GHGs, especially methane (CH₄) and nitrous oxide (N₂O) (Table 15). The AFOLU sector emits 40% of total global methane emissions and 75% of total global nitrous oxide emissions. These emissions are due to livestock digestive processes, manure management, rice cultivation, deforestation and burning stubble after harvesting. Livestock alone accounts for around 15% of global GHG emissions each year, roughly equal to emissions from all of

the world's autos, trucks, aircraft and ships.³⁶ According to the IMF, three things are needed to make the agricultural sector sustainable: first, a dramatic reduction in the consumption of red meat and dairy (by around 50%) and a shift towards plant-based meat substitutes; second, a large scale shift from monoculture agriculture towards organic and mixed crop-livestock farming; and third, a dramatic reduction in deforestation and an increase in reforestation and afforestation. These changes would both reduce emissions and increase the earth's natural carbon sinks.

Table 15: Global sectoral emissions
% of total emissions

	Total GHG	CO ₂
Electricity and heat production	25	59
Agriculture, forestry and land use	24	8
Industry	21	7
Transportation	14	16
Buildings	6	10
Other	10	0

Source: IPCC, IEA, World Bank, J.P. Morgan

Industry emits close to 20% of total GHG emissions. These are from industrial processes, such as metals, cement and chemicals production; electricity use by industry is excluded from this estimate of emissions. Improvements here include a greater emphasis on materials efficiency, recycling and a shift in designs away from steel and concrete.

Transportation accounts for around 15% of both CO₂ emissions and total GHG emissions. Mitigation here covers greater fuel efficiency, increased car sharing, increased use of public transport, better fleet management and improved design in trains and aircraft (improved aerodynamics and weight reduction). However, without dealing with the dominance of coal in power generation, other developments, such as a shift to electric vehicles, will not necessarily reduce CO₂ emissions. Indeed, they could increase emissions, depending on where the additional electricity is coming from. Electricity from coal-fired power stations is more CO₂ intensive than petrol in a car.

Buildings, excluding their consumption of electricity, emit only a modest amount of GHG and CO₂. Reduced emissions here involve better insulation and more energy efficient appliances, lighting and air conditioners. Also the lifespan of buildings could be extended.

³⁶ IMF, Finance and Development: The Economics of Climate Change, 2019

Moving on to the emissions intensity of energy production (GHG/E), there have also been declines over recent decades, but in order to meet the Paris objective the pace of improvement needs to pick up around fourfold. This would require a massive decarbonisation of the electricity generating sector. Power generation is the biggest source of CO₂ emissions, accounting for 59% of global CO₂ emissions. The reason is that power generation still involves huge use of fossil fuels, especially coal. According to the IEA, coal accounts for 74% of global CO₂ emissions from electricity generation (Table 16). This means that coal-fired power stations account for around 44% of all global CO₂ emissions.

Table 16: Annual CO₂ emissions from the power sector

Million tonnes		
	2000	2018
Electricity generation	8247	12655
Coal	5920	9357
Natural gas	1341	2656
Oil	986	641
Heat production	1055	1163
Coal	532	708
Natural gas	415	403
Oil	108	51
Total	9302	13818

Source: IEA, World Energy Outlook, 2019; J.P. Morgan

The most important shift needed in energy production is a move from CO₂ intensive sources of energy (coal, oil and gas) to nuclear and renewables, although a switch from coal to gas would also reduce emissions due to the elevated CO₂ intensity of coal for each terawatt of electricity produced (Table 17).

Table 17: CO₂ intensity per terawatt hour of electricity produced

Terawatt hours (TWh)			
	Electricity, TWh	CO ₂ , Mt	CO ₂ Mt/TWh
Coal	10123	9357	0.92
Natural gas	6118	2656	0.43
Oil	808	641	0.79

Source: IEA, J.P. Morgan

But the key to a significant emissions reduction in energy production is greater penetration of nuclear and renewables. According to the IEA, in 2018 nuclear and renewables contributed 36% of global electricity production (Table 18). This will have to rise to 79% by 2040 to meet the Paris 2°C objective. Meanwhile, the contribution of coal to global electricity generation needs to decline from 38% in 2018 to 6% by 2040.

Table 18: Global electricity generation by source

Terawatt hours (TWh)		
	2000	2018
Coal	5994	10123
Natural gas	2750	6118
Oil	1207	808
Nuclear	2591	2718
Renewables	2836	6799
Hydro	2613	4203
Bioenergy	164	636
Wind	31	1265
Solar PV	1	592
Geothermal	52	90
CSP	1	12
Marine	1	1
Total	15427	26603

Source: IEA, World Energy Outlook, 2019., J.P. Morgan; CSP: concentrated solar power

Nuclear energy does not directly contribute to GHG emissions, and is hence considered a clean source of power.

Moreover, unlike other sources of clean energy, such as wind and solar, nuclear power is available 24 hour per day, making it highly reliable. Despite these attractive characteristics, the share of nuclear energy in global electricity generation has been shrinking since its peak of 17% in 1996. This is, in part, because a number of other obstacles and risks around nuclear energy remain, including issues of waste management, operational risks, the creation of nuclear weapons, and adverse public opinion.

Given that nuclear has fallen out of favor, and geothermal and hydro are both constrained by geography, the real issue is the ongoing development of wind, solar, bioenergy, concentrated solar power (CSP) and marine, which together accounted for 9.8% of electricity generation in 2018. This is up from 1.6% in 2000. Further penetration will happen, driven by lower costs and subsidies. But challenges remain due to a major reliance on either the wind or sunlight, which are not there all of the time. Advances in storage technology would help make renewables more reliable.

According to the IEA, a sizeable shift from fossil fuels to renewables is technically feasible, though it would be very challenging from a cost perspective. In their 2019 World Energy Outlook, the IEA conducted a detailed global geospatial analysis of the potential for offshore wind, based on the technology of offshore turbines, the quality of wind, the depth of the sea and the nature of the sea bed. Using only near-shore, shallow water sites, the IEA estimates that offshore wind could generate 36,000 TWh (terawatt hours) of electricity per year. This is higher than current electricity production of 26,600 TWh per year and not far short of the projected de-

mand under a BAU policy of 41,400 TWh in 2040. Going for sites further from the shore and in deeper water creates a lot more potential. According to the IEA, the potential from off-shore wind is 420,000 TWh of electricity production per year, around eleven times the projected production in 2040 under a scenario consistent with the Paris objective (38,700 TWh).

The issue is not the potential opportunities, but the cost. Coal remains the cheapest source of electricity and the stock of coal-fired power stations is relatively young. Around 60% of the stock is less than 20 years old, compared with a design lifespan of up to 50 years. According to the IEA, to meet the Paris 2°C objective on the global temperature, the lifespan of coal-fired power stations would need to be limited to 25 years, which would require the immediate elimination of 34% of the global coal-fired production capacity. The cost would involve not only the premature scrapping of these coal-fired power stations but also the increased investment in renewables. The end result could be energy shortages and higher electricity prices for consumers. It isn't going to happen.

Geoengineering as an extreme technology

Despite some dramatic things happening at the micro level (see [here](#)), and the political commitments of a number of governments, it is hard to see global warming being limited to less than 3°C, let alone the Paris objective of less than 2°C, relative to re-industrial times, without the introduction of a global carbon tax or a dramatic shift in technology which either reduces CO₂ concentrations or reduces their impact on the climate. One potentially transformational technology is geoengineering.

Geo-engineering, defined as intentional large-scale interventions in the climate system, is an external approach to tackling climate change, entirely separate from the mitigation strategies which address the Kaya identity. There are two categories of geo-engineering, both encompassing a number of innovations: carbon geo-engineering and solar geo-engineering.

The primary aim of carbon geo-engineering is to remove CO₂ from the atmosphere. There are natural based solutions, such as afforestation (planting more trees) and ocean fertilization (adding nutrients to the ocean) designed to Hoover up atmospheric CO₂. There are also mechanical solutions, the most widely discussed being carbon capture and storage technology (CCS). CCS involves capturing and storing CO₂ emissions produced during electricity generation and industrial processes before they are released into the atmosphere. Emis-

sions are captured, transported and stored several kilometers below the earth's surface³⁷. It is also possible to capture carbon directly from the atmosphere. There are two problems at the moment with CCS technology: costs and storage. Hansen³⁸ argues that achieving a CO₂ concentration of 350ppm in 2100 would require the extraction and permanent storage of around 700Gt of CO₂. Assuming a unit cost at the lower end of the current estimated range, this degree of CCS would cost \$1.3 trillion a year. Assuming a unit cost at the upper end of the estimated range, the required degree of CCS would cost over six times as much. This would be equivalent to around 10% of current global GDP.

Solar geo-engineering, unlike carbon geo-engineering, is not intended to address GHG concentrations directly, but instead seeks to manipulate the link between CO₂ concentrations and temperature. Technologies under study include stratospheric aerosol scattering, marine cloud brightening and space-based techniques (that is, positioning sun shields in space). These ambitious technologies aim to reflect a fraction of the sun's energy back into space, helping to cool the planet³⁹.

Geo-engineering innovations have the potential to curb or even reverse the effects of climate change, but enormous scientific and technological uncertainties remain. With regards to solar geo-engineering in particular, considerably more research is required. Indeed, global policy makers are currently faced with the question over whether they should seriously support solar geo-engineering research; so far funding has been low, estimated at just USD10mn globally⁴⁰. The reluctance comes from a host of governance and moral hazard concerns, namely, that geo-engineering will reduce incentives to cut GHG emissions and thus will not address the root cause of the climate problem. Moreover, since no international framework on geo-engineering exists, there are concerns that nations will operate independently, eventually deploying various technologies without proper consideration for the risks or unintended consequences.

³⁷ Carbon Capture & Storage Association; Available at:

<http://www.ccsassociation.org/>

³⁸ Hansen, J., *Climate Change in a Nutshell: The Gathering Storm*, Columbia University, 2018

³⁹ Burns, Keith, Irvine & Horton, *Solar Geoengineering, Technology Factsheet Series*, Belfer Center for Science and International Affairs, Harvard Kennedy School, 2019.

⁴⁰ Necheles, E., Burns, L., Chang, A., Keith, D., *Funding for Solar Geoengineering from 2008 to 2018*, Harvard's Solar Geoengineering Research Program, 2018

In the words of Nordhaus “geo-engineering resembles what the doctors call “salvage therapy”—a potentially dangerous treatment to be used when all else fails. Doctors prescribe salvage therapy for people who are very ill and when less dangerous treatments are not available.”⁴¹

It is hard to predict how technology will evolve, especially over a period of decades, but at the moment there is nothing feasible that is an alternative to the steady and hard work of climate mitigation, reducing the energy intensity of GDP and reducing the CO₂ intensity of energy production.

Conclusion

One powerful theme running through the climate change debate is uncertainty: uncertainty about the mechanics of climate change and uncertainty about the economic, social and environmental impact of climate change. The other powerful theme running through the climate change debate is fairness: fairness across time as emissions today will affect the climate that future generations will inherit, and fairness across countries between those who have contributed the most to the problem and those who have contributed the least.

Notwithstanding Weitzman’s argument (see page 9), both of these themes make responding to climate change more difficult. Due to the uncertainty, it is hard to be absolutely definitive about what lies ahead. It is possible that the future will not be too bad. More likely, the situation will continue to deteriorate, possibly more so than in any of the IPCC’s scenarios. No government seems willing to sacrifice the incomes of their current citizens either in favor of their children and grandchildren or in favor of citizens in other countries. Climate change is a global problem which demands a global response. Despite the efforts of the IPCC, this is not really happening. The summit in Madrid is the most recent example of countries failing to cooperate to create a global emissions trading regime. Changes are occurring at the micro level, involving shifts in behavior by individuals, companies and investors. This will push emissions in the right direction, but is unlikely to be enough with the involvement of the fiscal and financial stability authorities.

Most likely, business as usual will be the path that policy-makers follow in the years ahead. It remains to be seen what the consequences of this will be, but one thing is sure: BAU opens the earth to a greater likelihood of a catastrophic outcome from the fat upper tail of the probability distribution. It also increases the likelihood that the costs of dealing with climate change will go up as action is delayed. And finally, it

increases the likelihood that the changes in the climate will be irreversible.

⁴¹ Nordhaus, W., *The Climate Casino*, Yale University Press, 2013

J.P. Morgan Securities plc
David Mackie (44-20) 7134-8325
david.mackie@jpmorgan.com
Jessica Murray (44-20) 7742 6325
jessica.x.murray@jpmorgan.com

Economic Research
**Risky business: the climate and
the macroeconomy**
January 14, 2020

J.P.Morgan

Analysts' Compensation: The research analysts responsible for the preparation of this report receive compensation based upon various factors, including the quality and accuracy of research, client feedback, competitive factors, and overall firm revenues.

Other Disclosures

J.P. Morgan is a marketing name for investment banking businesses of JPMorgan Chase & Co. and its subsidiaries and affiliates worldwide.

Any data discrepancies in this report could be the result of different calculations and/or adjustments.

Any long form nomenclature for references to China; Hong Kong; Taiwan; and Macau within this research report are Mainland China; Hong Kong SAR, China; Taiwan, China; Macau SAR, China.

Private Bank Clients: Where you are receiving research as a client of the private banking businesses offered by JPMorgan Chase & Co. and its subsidiaries ("J.P. Morgan Private Bank"), research is provided to you by J.P. Morgan Private Bank and not by any other division of J.P. Morgan, including but not limited to the J.P. Morgan corporate and investment bank and its research division.

Legal entity responsible for the production of research: The legal entity identified below the name of the Reg AC research analyst who authored this report is the legal entity responsible for the production of this research. Where multiple Reg AC research analysts authored this report with different legal entities identified below their names, these legal entities are jointly responsible for the production of this research.

Legal Entities Disclosures

U.S.: JPMS is a member of NYSE, FINRA, SIPC and the NFA. JPMorgan Chase Bank, N.A. is a member of FDIC. **Canada:** J.P. Morgan Securities Canada Inc. is a registered investment dealer, regulated by the Investment Industry Regulatory Organization of Canada and the Ontario Securities Commission and is the participating member on Canadian exchanges. **U.K.:** JPMorgan Chase N.A., London Branch, is authorised by the Prudential Regulation Authority and is subject to regulation by the Financial Conduct Authority and to limited regulation by the Prudential Regulation Authority. Details about the extent of our regulation by the Prudential Regulation Authority are available from J.P. Morgan on request. J.P. Morgan Securities plc (JPMS plc) is a member of the London Stock Exchange and is authorised by the Prudential Regulation Authority and regulated by the Financial Conduct Authority and the Prudential Regulation Authority. Registered in England & Wales No. 2711006. Registered Office 25 Bank Street, London, E14 5JP. **Germany:** This material is distributed in Germany by J.P. Morgan Securities plc, Frankfurt Branch which is regulated by the Bundesanstalt für Finanzdienstleistungsaufsicht and also by J.P. Morgan AG (JPM AG) which is a member of the Frankfurt stock exchange and is regulated by the Federal Financial Supervisory Authority (BaFin), JPM AG is a company incorporated in the Federal Republic of Germany with registered office at Taunustor 1, 60310 Frankfurt am Main, the Federal Republic of Germany. **South Africa:** J.P. Morgan Equities South Africa Proprietary Limited is a member of the Johannesburg Securities Exchange and is regulated by the Financial Services Board. **Hong Kong:** J.P. Morgan Securities (Asia Pacific) Limited (CE number AAJ321) is regulated by the Hong Kong Monetary Authority and the Securities and Futures Commission in Hong Kong and/or J.P. Morgan Broking (Hong Kong) Limited (CE number AAB027) is regulated by the Securities and Futures Commission in Hong Kong. JP Morgan Chase Bank, N.A., Hong Kong is organized under the laws of U.S.A. with limited liability. **Korea:** This material is issued and distributed in Korea by or through J.P. Morgan Securities (Far East) Limited, Seoul Branch, which is a member of the Korea Exchange (KRX) and is regulated by the Financial Services Commission (FSC) and the Financial Supervisory Service (FSS). **Australia:** J.P. Morgan Securities Australia Limited (JPMSAL) (ABN 61 003 245 234/AFS Licence No: 238066) is regulated by ASIC and is a Market, Clearing and Settlement Participant of ASX Limited and CHI-X. **Taiwan:** J.P. Morgan Securities (Taiwan) Limited is a participant of the Taiwan Stock Exchange (company-type) and regulated by the Taiwan Securities and Futures Bureau. **India:** J.P. Morgan India Private Limited (Corporate Identity Number - U67120MH1992FTC068724), having its registered office at J.P. Morgan Tower, Off. C.S.T. Road, Kalina, Santacruz - East, Mumbai - 400098, is registered with Securities and Exchange Board of India (SEBI) as a 'Research Analyst' having registration number INH000001873. J.P. Morgan India Private Limited is also registered with SEBI as a member of the National Stock Exchange of India Limited and the Bombay Stock Exchange Limited (SEBI Registration Number - INZ000239730) and as a Merchant Banker (SEBI Registration Number - MB/INM000002970). Telephone: 91-22-6157 3000, Facsimile: 91-22-6157 3990 and Website: www.jpmp.com. For non local research reports, this material is not distributed in India by J.P. Morgan India Private Limited. **Thailand:** This material is issued and distributed in Thailand by JPMorgan Securities (Thailand) Ltd., which is a member of the Stock Exchange of Thailand and is regulated by the Ministry of Finance and the Securities and Exchange Commission and its registered address is 3rd Floor, 20 North Sathorn Road, Silom, Bangrak, Bangkok 10500. **Indonesia:** PT J.P. Morgan Sekuritas Indonesia is a member of the Indonesia Stock Exchange and is regulated by the OJK a.k.a. BAPEPAM LK. **Philippines:** J.P. Morgan Securities Philippines Inc. is a Trading Participant of the Philippine Stock Exchange and a member of the Securities Clearing Corporation of the Philippines and the Securities Investor Protection Fund. It is regulated by the Securities and Exchange Commission. **Brazil:** Banco J.P. Morgan S.A. is regulated by the Comissão de Valores Mobiliários (CVM) and by the Central Bank of Brazil. **Mexico:** J.P. Morgan Casa de Bolsa, S.A. de C.V., J.P. Morgan Grupo Financiero is a member of the Mexican Stock Exchange and authorized to act as a broker dealer by the National Banking and Securities Exchange Commission. **Singapore:** This material is issued and distributed in Singapore by or through J.P. Morgan Securities Singapore Private Limited (JPMSS) [MCI (P) 058/04/2019 and Co. Reg. No.: 199405335R], which is a member of the Singapore Exchange Securities Trading Limited and/or JPMorgan Chase Bank, N.A., Singapore branch (JPMCB Singapore) [MCI (P) 070/09/2019], both of which are regulated by the Monetary Authority of Singapore. This material is issued and distributed in Singapore only to accredited investors, expert investors and institutional investors, as defined in Section 4A of the Securities and Futures Act, Cap. 289 (SFA). This material is not intended to be issued or distributed to any retail investors or any other investors that do not fall into the classes of "accredited investors," "expert investors" or "institutional investors," as defined under Section 4A of the SFA. Recipients of this document are to contact JPMSS or JPMCB Singapore in respect of any matters arising from, or in connection with, the document. **Japan:** JPMorgan Securities Japan Co., Ltd. and JPMorgan Chase Bank, N.A., Tokyo Branch are regulated by the Financial Services Agency in Japan. **Malaysia:** This material is issued and distributed in Malaysia by JPMorgan Securities (Malaysia) Sdn Bhd (18146-X) which is a Participating Organization of Bursa Malaysia Berhad and a holder of Capital Markets Services License issued by the Securities Commission in Malaysia. **Pakistan:** J. P. Morgan Pakistan Broking (Pvt.) Ltd is a member of the Karachi Stock Exchange and regulated by the Securities and Exchange Commission of Pakistan. **Dubai:** JPMorgan Chase Bank, N.A., Dubai Branch is regulated by the Dubai Financial Services Authority (DFSA) and its registered address is Dubai International Financial Centre - Building 3, Level 7, PO Box 506551, Dubai, UAE. **Russia:** CB J.P. Morgan Bank International LLC is regulated by the Central Bank of Russia. **Argentina:** JPMorgan Chase Bank Sucursal Buenos Aires is regulated by Banco Central de la República Argentina ("BCRA"- Central Bank of Argentina) and Comisión Nacional de Valores ("CNV"- Argentinian Securities Commission")

Country and Region Specific Disclosures

U.K. and European Economic Area (EEA): Unless specified to the contrary, issued and approved for distribution in the U.K. and the EEA by JPMS plc. Investment research issued by JPMS plc has been prepared in accordance with JPMS plc's policies for managing conflicts of interest arising as a result of publication and distribution of investment research. Many European regulators require a firm to establish, implement and maintain such a policy. Further information about J.P. Morgan's conflict of interest policy and a description of the effective internal organisations and administrative arrangements set up for the prevention and avoidance of conflicts of interest is set out at the following link <https://www.jpmorgan.com/jpmpdf/1320742677360.pdf>. This report has been issued in the U.K. only to persons of a kind described in Article 19 (5), 38, 47 and 49 of the Financial Services and Markets Act 2000 (Financial Promotion) Order 2005 (all such persons being referred to as "relevant persons"). This document must not be acted on or relied on by persons who are not relevant persons. Any investment or investment activity to which this document relates is only available to relevant persons and will be engaged in only with relevant persons. In other EEA countries, the report has been issued to persons regarded as professional investors (or equivalent) in their home jurisdiction. **Australia:** This material is issued and distributed by JPMSAL in Australia to "wholesale clients" only. This material does not take into account the specific investment objectives, financial situation or particular needs of the recipient. The recipient of this material must not distribute it to any third party or outside Australia without the prior written consent of JPMSAL. For the purposes of this paragraph the term "wholesale client" has the meaning given in section 761G of the Corporations Act 2001. J.P. Morgan's research coverage universe spans listed securities across the ASX All Ordinaries index, securities listed on offshore markets, unlisted issuers and investment products which Research management deem to be relevant to the investor base from time to time. J.P. Morgan seeks to cover companies of relevance to the domestic and international investor base across all GIC sectors, as well as across a range of market capitalisation sizes. **Germany:** This material is distributed in Germany by J.P. Morgan Securities plc, Frankfurt Branch which is regulated by the Bundesanstalt für Finanzdienstleistungsaufsicht. **Korea:** This report may have been edited or contributed to from time to time by affiliates of J.P. Morgan Securities (Far East) Limited, Seoul Branch. **Singapore:** As at the date of this report, JPMSS is a designated market maker for certain structured warrants listed on the Singapore Exchange where the underlying securities may be the securities discussed in this report. Arising from its role as designated market maker for such structured warrants, JPMSS may conduct hedging activities in respect of such underlying securities and hold or have an interest in such underlying securities as a result. The updated list of structured warrants for which JPMSS acts as designated market maker may be found on the website of the Singapore Exchange Limited: <http://www.sgx.com>. In addition, JPMSS and/or its affiliates may also have an interest or holding in any of the securities discussed in this report – please see the Important Disclosures section above. For securities where the holding is 1% or greater, the holding may be found in the Important Disclosures section above. For all other securities mentioned in this report, JPMSS and/or its affiliates may have a holding of less than 1% in such securities and may trade them in ways different from those discussed in this report. Employees of JPMSS and/or its affiliates not involved in the preparation of this report may have investments in the securities (or derivatives of such securities) mentioned in this report and may trade them in ways different from those discussed in this report. **Taiwan:** Research relating to equity securities is issued and distributed in Taiwan by J.P. Morgan Securities (Taiwan) Limited, subject to the license scope and the applicable laws and the regulations in Taiwan. According to Paragraph 2, Article 7-1 of Operational Regulations Governing Securities Firms Recommending Trades in Securities to Customers (as amended or supplemented) and/or other applicable laws or regulations, please note that the recipient of this material is not permitted to engage in any activities in connection with the material which may give rise to conflicts of interests, unless otherwise disclosed in the "Important Disclosures" in this material. **India:** For private circulation only, not for sale. **Pakistan:** For private circulation only, not for sale. **New Zealand:** This material is issued and distributed by JPMSAL in New Zealand only to "wholesale clients" (as defined in the Financial Advisers Act 2008). The recipient of this material must not distribute it to any third party or outside New Zealand without the prior written consent of JPMSAL. **Canada:** This report is distributed in Canada by or on behalf of J.P.Morgan Securities Canada Inc. The information contained herein is not, and under no circumstances is to be construed as an offer to sell securities described herein, or solicitation of an offer to buy securities described herein, in Canada or any province or territory thereof. The information contained herein is under no circumstances to be construed as investment advice in any province or territory of Canada and is not tailored to the needs of the recipient. **Dubai:** This report has been distributed to persons regarded as professional clients or market counterparties as defined under the DFSA rules. **Brazil:** Ombudsman J.P. Morgan: 0800-7700847 / ouvidoria.jp.morgan@jpmorgan.com.

General: Additional information is available upon request. Information has been obtained from sources believed to be reliable but JPMorgan Chase & Co. or its affiliates and/or subsidiaries (collectively J.P. Morgan) do not warrant its completeness or accuracy except with respect to any disclosures relative to JPMS and/or its affiliates and the analyst's involvement with the issuer that is the subject of the research. All pricing is indicative as of the close of market for the securities discussed, unless otherwise stated. Opinions and estimates constitute our judgment as of the date of this material and are subject to change without notice. Past performance is not indicative of future results. This material is not intended as an offer or solicitation for the purchase or sale of any financial instrument. The opinions and recommendations herein do not take into account individual client circumstances, objectives, or needs and are not intended as recommendations of particular securities, financial instruments or strategies to particular clients. The recipient of this report must make its own independent decisions regarding any securities or financial instruments mentioned herein. JPMS distributes in the U.S. research published by non-U.S. affiliates and accepts responsibility for its contents. Periodic updates may be provided on companies/industries based on company specific developments or announcements, market conditions or any other publicly available information. Clients should contact analysts and execute transactions through a J.P. Morgan subsidiary or affiliate in their home jurisdiction unless governing law permits otherwise.

"Other Disclosures" last revised January 01, 2020.

Copyright 2020 JPMorgan Chase & Co. All rights reserved. This report or any portion hereof may not be reprinted, sold or redistributed without the written consent of J.P. Morgan. #SJ&098\$##*P